




Print












Export to Excel

Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
 <div style="text-align: center;"> Hillsborough County, Florida Pregnancy and Young Child Profile </div>						
Community Characteristics						
Median household income (in dollars)	Dollars	2006-10	1	\$49,536		\$47,661
Residents below 100% poverty	Percent total population	2010	2	150,241	12.5%	12.5%
Unemployment rate	Percent	2011	3		10.5%	10.5%
Individuals living in owner-occupied housing	Percent	2006-10	4		63.3%	69.7%
Domestic violence offenses	Per 100,000 population	2009-11	3	7,387	600.3	605.0
Little English spoken in family (linguistically Isolated) ¹	Percent	2006-10	4		6.5%	7.2%
Births covered by emergency Medicaid ²	Percent of births	2009-11	3	1,373	8.3%	8.2%
Women of Childbearing Age						
Socio-Demographic Characteristics						
Total female population ages 15-44	Count	2012		268,254		3,561,439
White female population ages 15-44	Count	2012		195,151		2,628,143
Black female population ages 15-44	Count	2012		52,972		713,782
Other female population ages 15-44	Count	2012		20,132		219,514
Hispanic female population ages 15-44	Count	2012		72,357		969,856
Non-Hispanic female population ages 15-44	Count	2012		195,898		2,591,583
Birth Family Characteristics						
Births to mothers ages 15-19	Per 1,000 females 15-19	2010-12	2	1,497	34.9	29.6
Repeat births to mothers ages 15-19	Percent of births 15-19	2010-12	4	304	20.3%	17.4%
Births to mothers > 35	Per 1,000 females > 35	2010-12	4	1,802	5.5	4.5
Total births to unwed mothers	Percent of births	2010-12	2	7,994	48.7%	47.7%
Births among unwed mothers ages 15-19	Percent of births 15-19	2010-12	1	<2	.0%(u)	.0%
Births among unwed mothers ages 20-54	Percent of births 20-54	2010-12	1	<2	.0%(u)	.0%
Births with father acknowledged on birth certificate	Percent of births	2010-12	3	13,862	84.4%	85.9%
Births to mothers > 18 without high school education	Percent of births > 18	2010-12	2	2,200	14.1%	13.6%
Births to mothers born in other countries	Percent of births	2010-12	1	4,499	27.4%	30.4%















		Hillsborough County, Florida				
		Pregnancy and Young Child Profile				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Pre-conception Health and Behaviors						
Females > 17 who engage in heavy or binge drinking	Percent of females > 17	2010	4		12.7%	10.5%
Women 15-34 with sexually transmitted diseases ³	Per 100,000 females 15-34	2010-12	3	5,772	3217.3	2603.0
Females > 17 who are current smokers	Percent of females > 17	2010	3		22.5%	16.0%
Births to underweight mothers at time pregnancy occurred ⁴	Percent of births	2010-12	2	1,898	11.6%	11.6%
Births to overweight mothers at time pregnancy occurred ⁵	Percent of births	2010-12	1	3,619	22.0%	23.7%
Births to obese mothers at time pregnancy occurred ⁶	Percent of births	2010-12	1	3,001	18.3%	20.3%
Births with inter-pregnancy interval < 18 months	Percent of births	2010-12	4	3,542	63.2%	54.9%
Pregnancy and Health Behaviors						
Births to mothers who report smoking during pregnancy	Percent of births	2010-12	1	610	3.7%	6.8%
Access to Services						
Well-Woman/Pre-conception care						
Females > 17 with pap smear in preceding year	Percent of females > 17	2010	2		56.6%	57.1%
Females > 17 who have a personal doctor	Percent of females > 17	2010	3		83.4%	84.5%
Females > 17 who have any type of health care insurance coverage	Percent of females > 17	2010	2		85.4%	84.2%
Pregnancy						
Births with 1st trimester prenatal care	Percent of births w/ known PNC status	2010-12	1	12,657	88.3%	79.9%
Births with late or no prenatal care	Percent of births w/ known PNC status	2010-12	1	325	2.3%	4.6%
Births with adequate prenatal care (Kotelchuck index)	Percent of births w/ known PNC status	2010-12	1	11,054	77.1%	70.8%
Births to uninsured women ("self-pay" checked on birth certificate)	Percent of births	2010-12	4	1,564	9.5%	8.4%
Births covered by Medicaid ⁷	Percent of births	2010-12	1	7,909	48.2%	49.9%
C-section births	Percent of births	2010-12	3	6,094	37.1%	38.0%





Very low birthweight infants born in subspecialty perinatal centers	Percent of VLBW births	2010-12		219	80.4%	75.9%
---	------------------------	---------	--	-----	-------	-------

	Hillsborough County, Florida					
	Pregnancy and Young Child Profile					
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Infants (Under 1)						
Socio-Demographic Characteristics						
Total births	Per 1,000 population	2012		16,404	13.1	11.2
White births	Per 1,000 white population	2012		11,775	12.4	10.1
Black births	Per 1,000 black population	2012		3,590	16.4	15.6
Other nonwhite births	Per 1,000 other nonwhite population	2012		1,012	12.3	12.8
Hispanic births	Per 1,000 hispanic population	2012		4,750	14.9	13.1
Non-Hispanic births	Per 1,000 non-hispanic population	2012		11,633	12.5	10.5
Social-emotional Development						
Infants in foster care	Per 1,000 population < 1	2009-11		297	17.3	10.7
Poor Birth Outcomes						
Births < 1500 grams (very low birth weight)	Percent of births	2010-12		272	1.7%	1.6%
Births < 2500 grams (low birth weight)	Percent of births	2010-12		1,492	9.1%	8.7%
Births < 37 weeks gestation (preterm)	Percent of births	2010-12		2,133	13.0%	13.8%
Birth defects (structural and genetic) ratio to total births	Per 10,000 births	2006-08		437	247.7	228.6
Congenital heart defects	Per 10,000 births	2006-08		134	76.0	73.0
Chromosomal abnormalities (Trisomy 13, 18, & 21)	Per 10,000 births	2006-08		22	12.3	15.2
Multiple births (twins, triplets, or more)	Percent of births	2010-12		544	3.3%	3.2%

		Hillsborough County, Florida				
		Pregnancy and Young Child Profile				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Health and Safety						
Mothers who initiate breastfeeding	Percent	2010-12	1	13,448	81.9%	80.2%
Injuries and Injury-related Deaths						
Hospitalizations for all non-fatal unintentional injuries < 1	Per 100,000 population < 1	2009-11	3	53	308.5	286.4
Hospital/ER treated non-fatal unintentional falls < 1 ⁸	Per 100,000 population < 1	2009-11	3	630	3669.1	3836.5
Hospitalizations for non-fatal traumatic brain injuries < 1	Per 100,000 population < 1	2009-11	3	35	201.8	188.1
Child passengers < 1 injured or killed in motor vehicle crashes	Per 100,000 population < 1	2008-10	4	81	469.6	351.9
Other Deaths						
Fetal deaths	Per 1,000 deliveries	2010-12	3	81	4.9	4.8
Neonatal deaths (<28 days)	Per 1,000 live births	2010-12	4	91	5.5	4.2
Post-Neonatal deaths (28-364 days)	Per 1,000 live births	2010-12	2	38	2.3	2.2
Infant deaths (0-364 days)	Per 1,000 live births	2010-12	3	129	7.9	6.3
Deaths from SUID (sudden unexpected infant death)	Per 100,000 live births	2010-12	3	18	111.6	94.1
Children Ages 1-5						
Socio-Demographic Characteristics						
Population by Race/Ethnicity						
Total population ages 1-5	Count	2012		81,852		1,087,902
White population ages 1-5	Count	2012		56,025		758,048
Black population ages 1-5	Count	2012		17,747		242,686
Other population ages 1-5	Count	2012		8,079		87,168
Hispanic population ages 1-5	Count	2012		28,360		327,629
Non-Hispanic population ages 1-5	Count	2012		53,491		760,273
Poverty						
Kindergarten children eligible for free/reduced lunch	Percent of KG students	2010	2	55,478	61.2%	62.9%
Social-emotional Development						
Children in school-readiness programs eligible for free/reduced lunch	Percent of kids in programs	2008-10	1	9,518	48.2%	56.2%
Children ages 1-5 in foster care	Per 1,000 population 1-5	2009-11	4	714	8.9	5.7

Children ages 1-5 receiving mental health treatment services	Per 1,000 population 1-5	2009-11	2	471	5.9	11.0
--	--------------------------	---------	---	-----	-----	------

	Hillsborough County, Florida		Pregnancy and Young Child Profile				
	Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Access to Services							
Health Care							
Children < 5 covered by KidCare (Medikids)	Percent of population < 5	2009-11		1,748	2.2%	2.8%	
Potentially Avoidable Hospitalizations							
Asthma hospitalizations ages 1-5	Per 100,000 population 1-5	2009-11		926	1154.3	940.3	
Immunizations							
Two-year olds fully immunized ¹⁰	Percent of 2-yr olds	2011			80.4%	86.1%	
Kindergarten children fully immunized	Percent of KG students	2011		15,198	89.7%	92.6%	
Early Learning							
Children in School Readiness programs (subsidized child care)	Per 1,000 population < 13	2008-10		19,742	91.5	82.6	
Children participating in voluntary pre-K programs	Percent of 4-yr olds	2010		11,875	76.9%	79.2%	
Licensed child care centers and homes	Per 1,000 population < 13	2011		811	3.9	2.9	
Children ages 3-5 with disabilities receiving pre-K services	Per 1,000 population 3-5	2006-08		1,429	29.2	30.3	
Health and Safety							
WIC children 2 and older who are overweight or at risk of overweight	Percent of WIC children > 1	2011			29.7%	28.8%	
Overall cancer incidence rate ages 1-5	Per 100,000 population 1-5	2008-10		20	24.8	21.0	
Injuries and Injury-related Deaths							
Unintentional injury deaths ages 1-5	Per 100,000 population 1-5	2010-12		8	9.7	10.5	
Hospitalizations ages 1-5 for all non fatal unintentional injuries	Per 100,000 population 1-5	2009-11		184	228.9	234.1	
...Near drownings	Per 100,000 population 1-5	2009-11		9	10.8	16.0	
...Traumatic brain injuries	Per 100,000 population 1-5	2009-11		26	32.0	43.1	

Hospital/ER treated non fatal unintentional poisonings ages 1-5 ⁸	Per 100,000 population 1-5	2009-11		315	392.5	410.2
...Unintentional falls	Per 100,000 population 1-5	2009-11		3,344	4167.2	4626.4
...Motor vehicle related injuries	Per 100,000 population 1-5	2009-11		470	585.2	433.1
Child passengers ages 1-5 injured or killed in motor vehicle crashes ⁹	Per 100,000 population 1-5	2008-10		331	404.5	323.4

Notes


Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Year - Time periods include single calendar years (ex. 2006) and three-year averages (ex. 2004-06).

Quartiles - Quartiles in this report allow you to compare health data from one county to another in the state. Quartiles are calculated by ordering a rate from most favorable to least favorable by county and dividing the list into 4 equal-size groups. In this report, a low quartile number (1) always represents more favorable health situations while fours (4) represent less favorable situations. Blanks in this column indicate that not enough data was available to calculate a quartile or that a quartile calculation was not appropriate (i.e. population counts).

Counts - Counts for indicators displaying a 3-year rate are an average count of events over 3 years, NOT a sum. Blank spaces in this column indicate that no count is available for the indicator. A count of "<2" indicates an average of less than 2 events per year over a 3 year period.

Rates - Rates are frequently used when numbers are too small to use percent (per 100). For example, Florida's birth rate of 4.8 per 1000 females over age 35 would be the same as saying that 0.48% of females over age 35 had babies. Rates are typically expressed per 1000, per 10,000 or per 100,000, depending on how rare an event is. Rates based on fewer than 5 events over a 3 year period are marked as unstable (U). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid.

 Indicates that there is no data for the specified cell.

¹The Census Bureau defines a linguistically isolated household as one in which no one 14 years old and over speaks only English or speaks a non-English language and speaks English "very well". In other words, all members of the household 14 years old and over have at least some difficulty with English.

²Emergency Medicaid covers deliveries of pregnant aliens (non-US citizens).

³Includes women with reported cases of chlamydia, gonorrhea, and infectious syphilis.

⁴Underweight = BMI of 18.5 or less.

⁵Overweight = BMI between 25.0 and 29.9.

⁶Obese = BMI of 30 or more.

⁷May underestimate actual percent of births paid for by Medicaid.

⁸Hospital/ER treated includes both hospital inpatient and Emergency Department treatment.

⁹Event count includes crashes in Florida, regardless of residence of the driver. Denominator is Florida resident population.

¹⁰Rate not available for all counties.