			1			
	Hillsbord Count Florid	y,				
CHARTS	Pregnancy Young C Profile	hild				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable			State Comparison
Community Characteristics						
Median household income (in dollars)	Dollars	2000	1	\$40,663		\$38,819
Residents below 100% poverty	Percent total population	2009	2	150,436	12.5%	12.5%
Unemployment rate	Percent	2009	වි		10.7%	10.2%
Individuals living in owner-occupied housing	Percent	2000	4		64.1%	70.1%
Domestic violence offenses	Per 100,000 population	2007 -09	8	8,050		
Little English spoken in family (linguistically Isolated) ¹	Percent	2000	4		4.8%	5.9%
Births covered by emergency Medicaid ²	Percent of births	2007 -09	3	1,424	8.2%	8.3%
Women of Childbearing Age	•					
Socio-Demographic Characteristics						
Total female population ages 15-44	Count	2009		257,920		3,519,040
White female population ages 15-44	Count	2009		189,392		2,610,485
Black female population ages 15-44	Count	2009		50,248		701,751
Other female population ages 15-44	Count	2009		18,280		206,804
Hispanic female population ages 15-44	Count	2009		67,740		911,184
Non-Hispanic female population ages 15-44	Count	2009		190,180		2,607,856
Birth Family Characteristics	·					
Births to mothers ages 15-19	Per 1,000 females 15- 19	2007 -09	2	1,971	47.1	40.5
Repeat births to mothers ages 15-19	births 15-19	2007 -09	8	389	19.7%	18.7%
Births to mothers > 35	Per 1,000 females > 35	2007 -09	4	1,840	5.8	4.8
Total births to unwed mothers	Percent of births	2007 -09	3	8,393	48.3%	46.9%
Births among unwed mothers ages 15-19	births 15-19	<u> </u>	3	1,774	90.0%	89.1%
Births among unwed mothers ages 20-54	births 20-54		8	6,588	42.9%	41.9%
Births with father acknowledged on birth certificate	births	2007 -09	3	14,861	85.5%	86.1%
Births to mothers > 18 without high school education	Percent of births > 18	2007 -09	3	2,966	18.4%	16.4%
Births to mothers born in other countries	Percent of births	2007 -09	1	5,015	28.9%	31.9%

FLORIDA CHARTS CHARTS	Hillsbord Count Florid Pregnanc Young C Profil	ty, da y and child	County Quartile			
Measure	Rate Type	Year (s)	1=most favorable 4=least favorable			State Comparison
Pre-conception Health and Behaviors	1 71.	<u>N-7</u>				
Females > 17 who engage in heavy or binge drinking	Percent of females > 17	2007	8		11.1%	12.4%
Women 15-34 with sexually transmitted diseases ³	Per 100,000 females 15 -34	2007- 09	4	5,076	2977.0	2502.2
Females > 17 who are current smokers	Percent of females > 17	2007	2		18.8%	17.5%
Births to underweight mothers at time pregnancy occurred ⁴	births	2007- 09	2	2,138	12.3%	12.2%
Births to overweight mothers at time pregnancy occurred ⁵	Percent of births	2007- 09	1	3,729	21.5%	23.0%
Births to obese mothers at time pregnancy occurred ⁶	Percent of births	2007- 09	1	2,967	17.1%	19.1%
Births with inter-pregnancy interval < 18 months	Percent of births	2007- 09	ව	3,997	40.8%	38.5%
Pregnancy and Health Behaviors						
Births to mothers who report smoking during pregnancy	Percent of births	2007- 09	1	756	4.4%	6.9%
Access to Services						
Well-Woman/Pre-conception care	D		I			
Females > 17 with pap smear in preceding year	Percent of females > 17	2007	8		64.4%	64.8%
Females > 17 who have a personal doctor	Percent of females > 17	2007	3		78.8%	81.1%
Females > 17 who have any type of health care insurance coverage	Percent of females > 17	2007	4		76.8%	82.4%
Pregnancy	1		ł			
Births with 1st trimester prenatal care	Percent of births w/ known PNC status	2007- 09	1	12,844	83.7%	77.0%
Births with late or no prenatal care	Percent of births w/ known PNC status	2007- 09	4	573	3.7%	5.6%
Births with adequate prenatal care (Kotelchuck index)	Percent of births w/ known PNC status	2007- 09	2	10,936	71.3%	69.1%
Births to uninsured women ("self-pay" checked on birth certificate)	Percent of births	2007- 09	4	2,031	11.7%	10.4%
Births covered by Medicaid ⁷	Percent of births	2007- 09	1	7,388	42.5%	44.8%
C-section births	Percent of births	2007- 09	4	6,497	37.4%	37.6%

Very low birthweight infants born in subspecialty perinatal centers		2007- 09	292 96.4	% 75.1%	
---	--	-------------	----------	---------	--

FLORIDA UL	Hillsbord Count Florid Pregnanc Young C Profil	ty, la y and child				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable			State Comparison
Infants (Under 1)		1				
Socio-Demographic Characteristics						
Total births	Per 1,000 population	2007 -09		17,377	14.4	12.4
White births	Per 1,000 white population	2007 -09		12,658	13.6	11.3
Black births	Per 1,000 black population	2007 -09		3,680	18.0	17.0
Other nonwhite births	Per 1,000 other nonwhite population	2007 -09		1,022	13.9	13.7
Hispanic births	Per 1,000 hispanic population	2007 -09		5,532	19.1	16.4
Non-Hispanic births	Per 1,000 non- hispanic population	2007 -09		11,550	12.6	11.2
Social-emotional Development	•					
Infants in foster care	Per 1,000 population < 1	2007 -09	8	253	14.6	11.2
Poor Birth Outcomes	1		1			
Births < 1500 grams (very low birth weight)	Percent of births	2007 -09	8	303	1.7%	1.6%
Births < 2500 grams (low birth weight)	Percent of births	2007 -09	8	1,546	8.9%	8.7%
Births < 37 weeks gestation (preterm)	Percent of births	2007 -09	3	2,413	13.9%	14.1%
Birth defects (structural and genetic) ratio to total births	Per 10,000 births	2005 -07	8	411	236.1	226.1
Congential heart defects	Per 10,000 births	2005 -07	3	125	71.7	73.0
Chromosomal abnormalities (Trisomy 13, 18, & 21)	Per 10,000 births	2005 -07	2	24	13.6	15.5
Multiple births (twins, triplets, or more)	Percent of births	2007 -09	8	562	3.2%	3.2%

	Hillsbor Coun Florid	ty,				
CHARTS	Pregnanc Young C Profil	hild				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable			State Comparison
Health and Safety		(3)		Number	Nate	Comparison
	D	2007		40.000	77.40/	70.00/
Mothers who initiate breastfeeding	Percent	-09	2	13,396	77.1%	78.2%
Injuries and Injury-related Deaths						
Hospitalizations for all non-fatal unintentional injuries < 1	Per 100,000 population < 1	2007 -09	3	56	322.5	285.0
Hospital/ER treated non-fatal unintentional falls < 1 ⁸	Per 100,000 population < 1	2007 -09	2	538	3096.0	3533.3
Hospitalizations for non-fatal traumatic brain injuries < 1	Per 100,000 population < 1	2007 -09	8	33	188.1	191.1
Child passengers < 1 injured or killed in motor vehicle crashes	Per 100,000 population < 1	2007 -09	3	79	456.8	355.8
Other Deaths						
Fetal deaths	Per 1,000 deliveries	2007 -09	3	124	7.1	7.3
Neonatal deaths (<28 days)	Per 1,000 live births	2007 -09	4	106	6.1	4.5
Post-Neonatal deaths (28-364 days)	Per 1,000 live births	2007 -09	2	44	2.5	2.5
Infant deaths (0-364 days)	Per 1,000 live births	2007 -09	4	150	8.7	7.1
Deaths from SUID (sudden unexpected infant death)	Per 100,000 live births	2007 -09	2	22	126.6	101.9
Children Ages 1-5			•			
Socio-Demographic Characteristics						
Population by Race/Ethnicity	_		-			
Total population ages 1-5	Count	2009		84,895		1,152,444
White population ages 1-5	Count	2009		60,610		822,004
Black population ages 1-5	Count	2009		17,938		256,949
Other population ages 1-5	Count	2009		6,347		73,491
Hispanic population ages 1-5	Count	2009		26,246		327,185
Non-Hispanic population ages 1-5	Count	2009		58,649		825,259
Poverty Kindergarten children eligible for free/reduced lunch	Percent of KG students	2009	2	52,748	58.4%	59.0%
Social-emotional Development	101000110	-	1	1	I	
Children in school-readiness programs eligible for free/reduced lunch	Percent of kids in progams	2006 -08	2	11,392	57.4%	60.1%
Children ages 1-5 in foster care	Per 1,000 population 1-5	2007 -09	4	776	9.4	6.0

Page	6	of	9
------	---	----	---

Children ages 1-5 receiving mental health treatment services	Per 1,000 population 200 1-5	- G)	719	8.7	9.6	5
--	------------------------------------	------	-----	-----	-----	---

FLORIDA UI	Hillsbord Count Florid Pregnanc Young C Profil	ty, da y and child				
		Year	County Quartile 1=most favorable			
Measure Access to Services	Rate Type	(s)	4=least favorable	Number	Rate	Comparison
Health Care						
Children < 5 covered by KidCare (Medikids)	Percent of population < 5	2007 -09	8	1,426	1.7%	2.3%
Potentially Avoidable Hospitalizations	-					
Asthma hospitalizations ages 1-5	Per 100,000 population 1-5	2007 -09	4	820	990.5	834.3
Immunizations						
Two-year olds fully immunized ¹⁰	Percent of 2-yr olds	2009			87.2%	81.9%
Kindergarten children fully immunized	Percent of KG students	2009	4	14,668	90.5%	91.3%
Early Learning	•		•			
Children in School Readiness programs (subsidized child care)	Per 1,000 population < 13	2006 -08	3	19,859	91.5	84.7
Children participating in voluntary pre-K programs	Percent of 4-yr olds	2008	3	10,771	65.3%	65.3%
Licensed child care centers and homes	Per 1,000 population < 13	2009	1	849	3.9	2.9
Children ages 3-5 with disabilities receiving pre-K services	Per 1,000 population 3-5	2006 -08	4	1,429	29.2	30.3
Health and Safety		_	1			
WIC children 2 and older who are overweight or at risk of overweight	Percent of WIC children > 1	2009	8		31.2%	29.7%
Overall cancer incidence rate ages 1-5	Per 100,000 population 1-5	2005 -07	3	20	25.2	21.6
Injuries and Injury-related Deaths	-		1			
Unintentional injury deaths ages 1-5	Per 100,000 population 1-5	2007 -09	1	7	8.5	11.8
Hospitalizations ages 1-5 for all non fatal unintentional injuries	Per 100,000 population 1-5	2007 -09	2	183	221.0	217.3
Near drownings	Per 100,000 population 1-5	2007 -09	3	11	12.9	15.5
Traumatic brain injuries	Per 100,000 population 1-5	2007 -09	2	29	35.0	42.1

Hospital/ER treated non fatal unintentional poisonings ages 1-5 ⁸	Per 100,000 population 1-5	2007 -09	1	311	375.5	400.8
Unintentional falls	Per 100,000 population 1-5	2007 -09	1	2,813	3396.6	4253.9
Motor vehicle related injuries	Per 100,000 population 1-5	2007 -09	8	422	509.5	403.8
Child passengers ages 1-5 injured or killed in motor vehicle crashes ⁹	Per 100,000 population 1-5	2007 -09	8	362	437.1	322.7

Notes

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Year - Time periods include single calendar years (ex. 2006) and three-year averages (ex. 2004-06).

Quartiles - Quartiles in this report allow you to compare health data from one county to another in the state. Quartiles are calculated by ordering a rate from most favorable to least favorable by county and dividing the list into 4 equal-size groups. In this report, a low quartile number (1) always represents more favorable health situations while fours (4) represent less favorable situations. Blanks in this column indicate that not enough data was available to calculate a quartile or that a quartile calculation was not appropriate (i.e. population counts).

Counts - Counts for indicators displaying a 3-year rate are an average count of events over 3 years, NOT a sum. Blank spaces in this column indicate that no count is available for the indicator. A count of "<2" indicates an average of less than 2 events per year over a 3 year period.

Rates - Rates are frequently used when numbers are too small to use percent (per 100). For example, Florida's birth rate of 4.8 per 1000 females over age 35 would be the same as saying that 0.48% of females over age 35 had babies. Rates are typically expressed per 1000, per 10,000 or per 100,000, depending on how rare an event is. Rates based on fewer than 5 events over a 3 year period are marked as unstable (U). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid.

Indicates that there is no data for the specified cell.

¹The Census Bureau defines a linguistically isolated household as one in which no one 14 years old and over speaks only English or speaks a non -English language and speaks English "very well". In other words, all members of the household 14 years old and over have at least some difficulty with English.

²Emergency Medicaid covers deliveries of pregnant aliens (non-US citizens).

³Includes women with reported cases of chlamyida, gonorrhea, and infectious syphilis.

⁴Underweight = BMI of 18.5 or less.

⁵Overweight = BMI between 25.0 and 29.9.

⁶Obese = BMI of 30 or more.

⁷May underestimate actual percent of births paid for by Medicaid.

⁸Hospital/ER treated includes both hospital inpatient and Emergency Department treatment.

⁹Event count includes crashes in Florida, regardless of residence of the driver. Denominator is Florida resident population.

¹⁰Rate not available for all counties.