Print Export to Excel						
FLORIDA	Hillsbord Count Florid Pregnanc Young C	y, la y and hild				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Community Characteristics		1	•	!		
Median household income (in dollars)	Dollars	2006 -10	1	\$49,536		\$47,661
Residents below 100% poverty	Percent total population	2010	2	150,241	12.5%	12.5%
Unemployment rate	Percent	2011	8		10.5%	10.5%
Individuals living in owner-occupied housing	Percent	2006 -10	4		63.3%	69.7%
Domestic violence offenses	Per 100,000 population	2009 -11	8	7,387	600.3	605.0
Little English spoken in family (linguistically Isolated) ¹	Percent	2006 -10	4		6.5%	7.2%
Births covered by emergency Medicaid ²	Percent of births	2009 -11	3	1,373	8.3%	8.2%
Women of Childbearing Age						
Socio-Demographic Characteristics						
Total female population ages 15-44	Count	2011		266,265		3,544,595
White female population ages 15-44	Count	2011		192,400		2,608,618
Black female population ages 15-44	Count	2011		53,481		715,569
Other female population ages 15-44	Count	2011		20,384		220,408
Hispanic female population ages 15-44	Count	2011		69,559		939,840
Non-Hispanic female population ages 15-44	Count	2011		196,706		2,604,755
Birth Family Characteristics	_					
Births to mothers ages 15-19	Per 1,000 females 15- 19	-11	2	1,628	38.2	32.9
Repeat births to mothers ages 15-19	Percent of births 15-19		4	333	20.5%	18.1%
Births to mothers > 35	Per 1,000 females > 35	2009 -11	4	1,786	5.5	4.6
Total births to unwed mothers	Percent of births	2009 -11	3	8,063	48.8%	47.6%
Births among unwed mothers ages 15-19	Percent of births 15-19	2009 -11	4	1,491	91.6%	90.8%
Births among unwed mothers ages 20-54	births 20-54		3	6,550	44.0%	43.3%
Births with father acknowledged on birth certificate	births	2009 -11	3	14,130	85.5%	86.4%
Births to mothers > 18 without high school education	Percent of births > 18	2009 -11	2	2,417	15.5%	14.5%
Births to mothers born in other countries	Percent of births	2009 -11	1	4,573	27.7%	30.7%

	Hillsbore Count Floric	ty,				
CHARTS	Pregnancy and Young Child Profile					
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable			State Comparison
Pre-conception Health and Behaviors			•			
Females > 17 who engage in heavy or binge drinking	Percent of females > 17	2010	4		12.7%	10.5%
Women 15-34 with sexually transmitted diseases ³	Per 100,000 females 15 -34	2009- 11	8	5,590	3172.7	2603.3
Females > 17 who are current smokers	Percent of females > 17	2010	8		22.5%	16.0%
Births to underweight mothers at time pregnancy occurred ⁴	Percent of births	2009- 11	2	1,899	11.5%	11.7%
Births to overweight mothers at time pregnancy occurred ⁵	Percent of births	2009-	1	3,504	21.2%	23.5%
Births to obese mothers at time pregnancy occurred ⁶	Percent of births	2009- 11	1	2,870	17.4%	19.9%
Births with inter-pregnancy interval < 18 months	Percent of births	2009-	ව	3,493	40.3%	37.0%
Pregnancy and Health Behaviors	Direction	1	I	<u>l</u>		
Births to mothers who report smoking during pregnancy	Percent of births	2009- 11	1	604	3.7%	6.8%
Access to Services						
Well-Woman/Pre-conception care	D	1	ı	ı		
Females > 17 with pap smear in preceding year	Percent of females > 17	2010	2		56.6%	57.1%
Females > 17 who have a personal doctor	Percent of females > 17	2010	8		83.4%	84.5%
Females > 17 who have any type of health care insurance coverage	Percent of females > 17	2010	2		85.4%	84.2%
Pregnancy	1			I.	ı	
Births with 1st trimester prenatal care	Percent of births w/ known PNC status	2009- 11	1	11,921	86.8%	79.3%
Births with late or no prenatal care	Percent of births w/ known PNC status	2009- 11	1	360	2.6%	4.7%
Births with adequate prenatal care (Kotelchuck index)	Percent of births w/ known PNC status	2009- 11	2	10,201	74.3%	70.6%
Births to uninsured women ("self-pay" checked on birth certificate)	Percent of births	2009- 11	4	1,610	9.7%	8.9%
Births covered by Medicaid ⁷	Percent of births	2009- 11	1	7,753	46.9%	48.7%
C-section births	Percent of births	2009- 11	3	6,136	37.1%	38.0%

Very low birthweight infants born in subspecialty perinatal centers	Percent of VLBW births	2009- 11	8	133	48.1%	50.2%
---	------------------------	-------------	---	-----	-------	-------

	Hillsbord Count Florid	y,				
CHARTS	Young C	Pregnancy and Young Child Profile				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable			State Comparison
Infants (Under 1)	Kate Type	(5)	4=least lavorable	Number	Nate	Companison
Socio-Demographic Characteristics						
Total births	Per 1,000 population	2011		16,456	13.3	11.3
White births	Per 1,000 white population	2011		11,782	12.5	10.2
Black births	Per 1,000 black population	2011		3,638	16.7	15.7
Other nonwhite births	Per 1,000 other nonwhite population	2011		1,010	12.3	12.2
Hispanic births	Per 1,000 hispanic population	2011		4,835	15.5	13.6
Non-Hispanic births	Per 1,000 non- hispanic population	2011		11,588	12.5	10.5
Social-emotional Development	•					
Infants in foster care	Per 1,000 population < 1	2009 -11	4	297	17.3	10.7
Poor Birth Outcomes						
Births < 1500 grams (very low birth weight)	Percent of births	2009 -11	3	277	1.7%	1.6%
Births < 2500 grams (low birth weight)	Percent of births	2009 -11	8	1,489	9.0%	8.7%
Births < 37 weeks gestation (preterm)	Percent of births	2009 -11	8	2,181	13.2%	13.7%
Birth defects (structural and genetic) ratio to total births	Per 10,000 births	2006 -08	3	437	247.7	228.6
Congential heart defects	Per 10,000 births	2006 -08	8	134	76.0	73.0
Chromosomal abnormalities (Trisomy 13, 18, & 21)	Per 10,000 births	2006 -08	1	22	12.3	15.2
Multiple births (twins, triplets, or more)	Percent of births	2009 -11	ව	540	3.3%	3.2%

Per 100,000 2009 -11 3 35 201.8	State parison 79.5% 286.4 3836.5
Note	79.5% 286.4
Measure Rate Type 1 1 1 1 1 1 1 1 1	79.5% 286.4
Health and Safety	79.5% 286.4
Injuries and Injury-related Deaths	286.4
Hospitalizations for all non-fatal unintentional injuries < 1	
Hospitalizations for all non-fatal unintentional injuries < 1 100,000 population -11	
Hospital/ER treated non-fatal unintentional falls < 18	3836.5
Hospitalizations for non-fatal traumatic brain injuries < 1 100,000 population < 1 2009 population < 1 35 201.8	
Child passengers < 1 injured or killed in motor vehicle crashes	188.1
Per 1,000 2009 3 80 4.8	351.9
Neonatal deaths (<28 days)	
Neonatal deaths (28 days) live births -11	4.8
Infant deaths (0-364 days) In	4.4
Deaths from SUID (sudden unexpected infant death) Substitute Children Ages 1-5 Iive births	2.2
Deaths from SUID (sudden unexpected infant death) 100,000 100,000 -11 116.9 Children Ages 1-5	6.6
	94.3
Socio-Demographic Characteristics	
Population by Race/Ethnicity	
	54,579
	22,492
	11,528
	90,559
	96,794
	57,785
Poverty Kindergarten children eligible for free/reduced lunch Percent of KG 2010 2010 55,478 61.2%	62.9%
Social-emotional Development	
Children in school-readiness programs eligible for free/reduced lunch Percent of kids in progams 9,518 48.2%	
Children ages 1-5 in foster care Per 1,000 2009 -11	56.2%

Children ages 1-5 receiving mental health treatment services	Per 1,000 population 1-5 2009	471	5.9	11.0
--	-------------------------------	-----	-----	------

			<u> </u>			
ر الار الار	Hillsbord Count Florid	ty, da				
CHARTS	Young C	Pregnancy and Young Child Profile				
Measure	Rate Type	Year (s)	County Quartile 1=most favorable 4=least favorable	County Number	County Rate	State Comparison
Access to Services	,		•			
Health Care						
Children < 5 covered by KidCare (Medikids)	Percent of population < 5	2009 -11	8	1,748	2.2%	2.8%
Potentially Avoidable Hospitalizations						
Asthma hospitalizations ages 1-5	Per 100,000 population 1-5	2009 -11	4	926	1154.3	940.3
Immunizations			_	_		
Two-year olds fully immunized ¹⁰	Percent of 2-yr olds	2011			80.4%	86.1%
Kindergarten children fully immunized	Percent of KG students	2011	4	15,198	89.7%	92.6%
Early Learning	•	•	•	•	•	
Children in School Readiness programs (subsidized child care)	Per 1,000 population < 13	2008 -10	2	19,742	91.5	82.6
Children participating in voluntary pre-K programs	Percent of 4-yr olds	2010	8	11,875	76.9%	79.2%
Licensed child care centers and homes	Per 1,000 population < 13	2011	1	811	3.9	2.9
Children ages 3-5 with disabilities receiving pre-K services	Per 1,000 population 3-5	2006 -08	4	1,429	29.2	30.3
Health and Safety						
WIC children 2 and older who are overweight or at risk of overweight	Percent of WIC children > 1	2011	8		29.7%	28.8%
Overall cancer incidence rate ages 1-5	Per 100,000 population 1-5	2008 -10	8	20	24.8	21.0
Injuries and Injury-related Deaths	•			•	•	
Unintentional injury deaths ages 1-5	Per 100,000 population 1-5	2009 -11	2	9	10.8	11.1
Hospitalizations ages 1-5 for all non fatal unintentional injuries	Per 100,000 population 1-5	2009 -11	2	184	228.9	234.1
Near drownings	Per 100,000 population 1-5	2009 -11	2	9	10.8	16.0
Traumatic brain injuries	Per 100,000 population 1-5	2009 -11	1	26	32.0	43.1

Hospital/ER treated non fatal unintentional poisonings ages 1-5 ⁸	Per 100,000 population 1-5	2009 -11	1	315	392.5	410.2
Unintentional falls	Per 100,000 population 1-5	2009 -11	1	3,344	4167.2	4626.4
Motor vehicle related injuries	Per 100,000 population 1-5	2009 -11	4	470	585.2	433.1
Child passengers ages 1-5 injured or killed in motor vehicle crashes ⁹	Per 100,000 population 1-5	2008 -10	ව	331	404.5	323.4

Notes

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Year - Time periods include single calendar years (ex. 2006) and three-year averages (ex. 2004-06).

Quartiles - Quartiles in this report allow you to compare health data from one county to another in the state. Quartiles are calculated by ordering a rate from most favorable to least favorable by county and dividing the list into 4 equal-size groups. In this report, a low quartile number (1) always represents more favorable health situations while fours (4) represent less favorable situations. Blanks in this column indicate that not enough data was available to calculate a quartile or that a quartile calculation was not appropriate (i.e. population counts).

Counts - Counts for indicators displaying a 3-year rate are an average count of events over 3 years, NOT a sum. Blank spaces in this column indicate that no count is available for the indicator. A count of "<2" indicates an average of less than 2 events per year over a 3 year period.

Rates - Rates are frequently used when numbers are too small to use percent (per 100). For example, Florida's birth rate of 4.8 per 1000 females over age 35 would be the same as saying that 0.48% of females over age 35 had babies. Rates are typically expressed per 1000, per 10,000 or per 100,000, depending on how rare an event is. Rates based on fewer than 5 events over a 3 year period are marked as unstable (U). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid.

Indicates that there is no data for the specified cell.

¹The Census Bureau defines a linguistically isolated household as one in which no one 14 years old and over speaks only English or speaks a non-English language and speaks English "very well". In other words, all members of the household 14 years old and over have at least some difficulty with English.

²Emergency Medicaid covers deliveries of pregnant aliens (non-US citizens).

³Includes women with reported cases of chlamyida, gonorrhea, and infectious syphilis.

⁴Underweight = BMI of 18.5 or less.

⁵Overweight = BMI between 25.0 and 29.9.

⁶Obese = BMI of 30 or more.

⁷May underestimate actual percent of births paid for by Medicaid.

8Hospital/ER treated includes both hospital inpatient and Emergency Department treatment.

⁹Event count includes crashes in Florida, regardless of residence of the driver. Denominator is Florida resident population.

¹⁰Rate not available for all counties.